
PISTON SEAL JSDAS-5 PIECES



Advantages:

--Closed grooves and integral piston (the seal comprising an elastomeric profile seal ring, two back-up rings and two wear rings). reduced the length of piston, reduced machining costs.

-Good extrusion resistance.

-The grooves are simple and easy to install

-Good sealing effect.

-Low product cost.

ITEM	D	d1	H
JSDAS	20	11	17.7
JSDAS	25	15	20
JSDAS	25	15	29.1
JSDAS	25	16	17.7
JSDAS	28	19	17.7
JSDAS	30	21	17.7
JSDAS	32	22	20.7
JSDAS	32	22	29.1
JSDAS	32	24	21.9
JSDAS	35	25	20.7
JSDAS	35	25	29.1
JSDAS	40	24	31.1
JSDAS	40	26	20.7
JSDAS	40	30	29.1
JSDAS	40	30	20.5

JSDAS	42	28	20.7
JSDAS	45	29	31.1
JSDAS	45	31	20.7
JSDAS	45	35	29.1
JSDAS	50	34	31.1
JSDAS	50	34	26.7
JSDAS	50	38	28.9
JSDAS	55	39	31.1
JSDAS	55	39	26.7
JSDAS	56	40	26.7
JSDAS	60	44	26.7
JSDAS	60	44	31.1
JSDAS	60	48	28.9
JSDAS	63	47	26.7
JSDAS	63	47	31.1
JSDAS	63	47	32.1
JSDAS	63	51	28.9
JSDAS	65	50	31.1
JSDAS	65	49	26.7
JSDAS	65	50	31.1
JSDAS	70	50	35.1
JSDAS	70	54	26.7
JSDAS	70	58	28.9
JSDAS	75	55	35.1
JSDAS	75	59	26.7
JSDAS	80	60	35.1
JSDAS	80	62	29.7
JSDAS	80	66	32.9
JSDAS	85	65	35.1
JSDAS	90	70	35.1
JSDAS	90	72	29.7
JSDAS	90	76	32.9
JSDAS	95	75	35.1
JSDAS	100	75	35.1
JSDAS	100	80	38.1
JSDAS	100	82	29.7
JSDAS	100	86	32.9
JSDAS	105	80	35.1
JSDAS	110	85	35.1
JSDAS	110	92	29.7
JSDAS	110	96	32.9

JSDAS	115	90	35.1
JSDAS	115	97	29.7
JSDAS	120	95	35.1
JSDAS	120	106	32.9
JSDAS	125	100	38.1
JSDAS	125	103	36.7
JSDAS	125	108	40.9
JSDAS	130	105	44.4
JSDAS	130	105	38.1
JSDAS	135	110	44.4
JSDAS	135	110	38.1
JSDAS	140	115	44.4
JSDAS	140	115	38.1
JSDAS	140	118	36.7
JSDAS	140	123	40.9
JSDAS	145	120	44.4
JSDAS	145	120	38.1
JSDAS	150	125	44.4
JSDAS	150	125	38.1
JSDAS	150	128	36.7
JSDAS	150	133	40.9
JSDAS	155	130	44.4
JSDAS	160	130	38.1
JSDAS	160	135	44.4
JSDAS	160	138	36.7
JSDAS	160	143	40.9
JSDAS	165	140	44.4
JSDAS	170	145	50.8
JSDAS	175	150	50.8
JSDAS	180	150	48.1
JSDAS	180	155	50.8
JSDAS	185	160	50.8
JSDAS	190	165	50.8
JSDAS	195	170	50.8
JSDAS	200	175	50.8
JSDAS	210	185	50.8
JSDAS	220	190	48.1
JSDAS	220	195	50.8
JSDAS	230	205	50.8
JSDAS	240	215	50.8
JSDAS	250	220	48.1

JSDAS	250	225	50.8
JSDAS	254	224	53.8
JSDAS	260	235	60.5
JSDAS	275	250	44.7
JSDAS	280	250	54.4
JSDAS	280	250	56.3
JSDAS	280	255	50.8
JSDAS	300	275	44.7
JSDAS	320	290	54.5
JSDAS	320	290	61.4
JSDAS	320	295	50.8
JSDAS	360	335	50.8
JSDAS	400	375	50.8

Product link : <https://www.jspseal.com/piston-seal-jsdas-5-pieces.html>